

MODEL: XSS26333A75B*




PERSPECTIVE VIEW - N.T.S. MODEL SHOWN HERE AS: RIGHT PLUMBING RIGHT SEAT

*ALL ACCESSORIES OPTIONAL



TOP VIEW - SCALE 3" = 1'-0"



ADA COMBUANT



Features:

- -ADA compliant one-piece roll-in shower -Molded, single-piece gelcoat/fiberglass shower module
- "Smooth" wall finish, white (standard)
 -Integral full wood backing for strength and
 unlimited accessory placement
- -Available in various threshold heights
- -On all threshold heights 1-1/2" or taller, no mud set is required
- -On all threshold heights 1-1/4" or shorter, no mud set is required, but an adhesive kit is supplied

*OTHER THRESHOLD HEIGHTS AVAILABLE UPON REQUEST

UNIT THRESHOLD HEIGHT HEIGHT

11111	IILIOIII
Y	Z*
86-1/4"	3/4" MIN.
87-1/2"	2" MAX.
	Y 86-1/4"

* - SEE BACK FOR DETAIL SECTIONS

PRODUCT SPECIFICATIONS:

-Single-piece shower module shall be constructed of gelcoat/fiberglass with full integral plywood backing -Rough-In: Stud opening +1/4" -0" Nominal Dimensions.

C.S.I. FORMAT SPECIFICATION TEXT AVAILABLE

PRODUCT INFORMATION:

-Accessories: Factory installed, unless prone to damage during installation/shipping. Polished chrome/satin stainless standard, others available. -Colors: White as standard, others to match any major fixture manufacturer, also available with sprayable solid surface in many colors -Custom curb heights. other than shown, are

-Custom curb heights, other than shown, are available (between min. and max.)

OPTIONAL ACCESSORIES:

INSTALLED AT FACTORY:

-Seat, folding

-Grab bar

-Soap dish

-Mixing valve, pressure-balancing, lever handle, pre-plumbed tree to supply elbow

-Curtain rod brackets

INSTALLED BY OTHERS:

- -Curtain and rod
- -Flange-window trim kits
- -T-shaped WaterStopper kit
- -Semi-permanent threshold adapter
- -No-caulk brass drain

CODES:

Designed and manufactured in compliance with the following standards and codes:

-ANSI Z124.2 Standards for Plastic Showers

-ADA Accessibility Guidelines for Buildings and Facilities

-ANSI A117.1 A - Accessible and Usable Buildings and Facilities

-ANSI A117.1 B - Accessible and Usable Buildings and Facilities

-IPC International Plumbing Code

-UPC Uniform Plumbing Code


NOTICE OF LIMITATION:

-Recess as needed to meet code -Adhere to floor as required




We reserve the right to make revisions without notice in the design of fixtures or in packaging unless this right has specifically been waived at the time the order is accepted.


page 1 of 2







OTHER THRESHOLD HEIGHTS AVAILABLE UPON REQUEST



DETAIL CS - SCALE: N.T.S. CROSS SECTION DETAIL

